



ATTESTATION

For inputs in compliance with "**Organic Production Systems General Principles & Management Standards AND Permitted Substances Lists**"
or (CAN/CGSB 32.310-2015 and CAN/CGSB 32.311-2015)

Attestation number: **125253-C-2018-07-23**
Number of Products: **28**

This Attestation is issued to the following company:

BioFert Manufacturing Inc.

464 Riverside Road,
Abbotsford, British Columbia, V2S 7M1

Client #: 125253

Ecocert Canada confirms after inspection that the products listed in the annex below **are compliant with CAN/CGSB-32.310-2015 and CAN/CGSB-32.311-2015**, so long as any restrictions regarding their use (outlined in the annex) are respected.

A handwritten signature in blue ink, appearing to read "Simon Jacques", is written over a horizontal line.

Issue date : July 23, 2018
Expiration date : July 25, 2019

Simon Jacques
Input Review Officer

**This document is the property of Ecocert. It must be returned upon request.
Only the original is considered valid until the expiration date.
This document becomes invalid upon receipt of notice of cancellation of the input contract.**



Annex to Ecocert Attestation # 125253-C-2018-07-23

BioFert Manufacturing Inc.

464 Riverside Road,
Abbotsford, British Columbia, V2S 7M1

Client #: 125253

Ecocert Canada confirms after inspection that the products listed below **are compliant with CAN/CGSB-32.310-2015 and CAN/CGSB-32.311-2015**, for use as **Soil Amendments and Crop Nutrition** (section 4.2 of 32.311) so long as any restrictions regarding their use are respected.

| | Product Name | Usage restrictions |
|---|---------------------------------|--|
| 1 | BioFish 3-1-2 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc, iron & magnesium. May be used as a plant growth regulator. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 2 | Blood meal 12-0-0 Granular | None |
| 3 | Blood Meal 12-0-0 Water Soluble | None |
| 4 | Calcium lime | None |
| 5 | Cal-O 4%Ca | May be used to correct a documented deficiency in boron. |
| 6 | Cal-O 6%Ca | None |
| 7 | Crop Conditioner 1-0-4 | To be used with documented deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |

| | | |
|----|------------------------|---|
| 8 | Earth Boost 1-1-0 | To be used with documented soil or plant deficiencies in copper, boron, manganese & zinc. To correct calcium and sulphur deficiencies and soil salinity problems. |
| 9 | Fish Bonemeal 4-13-0 | None |
| 10 | Fish Concentrate 2-3-0 | May be used as a plant growth regulator. |
| 11 | Fruit & Berry 3-2-4 | To be used with documented deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |
| 12 | General Purpose 3-2-5 | To be used with documented deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator |
| 13 | General Purpose 4-3-9 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc, calcium & sulphur. May be used to correct soil salinity problems. May be used as a soil amendment when more buffered sources of sulphur are not appropriate, and as a foliar application. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 14 | GreenUp 0-0-15 | To be used with documented soil or plant deficiencies in boron. |
| 15 | Hi-N 10-3-0 | To be used with documented soil or plant deficiencies in copper, boron, manganese & zinc. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 16 | Hi-P 0-12-0 | None |
| 17 | Humi-Sul 90 | To be used when more buffered sources of sulphur are not appropriate |
| 18 | Lawn Food 3-1-5 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc, iron & magnesium. May be used as a plant growth regulator. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |
| 19 | Lawn Food 8-2-3 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |
| 20 | Organic Blend 6-2-7 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc, calcium & sulphur. May be used to correct |

| | | |
|----|---------------------------|--|
| | | soil salinity problems. May be used as a soil amendment when more buffered sources of sulphur are not appropriate, and as a foliar application. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 21 | Organic Pre-mix 6-2-0 | To be used with documented soil or plant deficiencies in copper, boron, manganese & zinc. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 22 | RapiGro 0-0-5 | To be used with documented deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |
| 23 | Root Conditioner 0-0-2 | To be used with documented soil or plant deficiencies in copper, boron, manganese & zinc. Shall be used with caution to prevent excessive copper accumulation in the soil, which may prohibit future use. Visible copper residue on harvested crops is prohibited. |
| 24 | Rose & Flower 2-2-5 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |
| 25 | Seed Booster 1-2-1 | To correct documented deficiencies in zinc, copper, boron, manganese & molybdenum. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. |
| 26 | Starter Food 1-3-15 | None |
| 27 | Sulphate of Potash 0-0-50 | None |
| 28 | Tomato & Vegetable 3-1-4 | To be used with documented soil or plant deficiencies in copper, boron, manganese, zinc and iron. Shall be used with caution to prevent excessive copper accumulation in the soil. Copper build up in soil may prohibit future use. Visible residue of copper products on harvested crops is prohibited. May be used as a plant growth regulator. |

This annex is not valid without the accompanying Ecocert Attestation.